

西南交通大学电气工程学院卫生检查成绩（天佑斋4号-2017级男生）

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T041047	7.0	4.0	5.0	5.0	6.0	4.0	5.0	36.0	30.0	26.0	92.0
T041048	7.0	4.0	5.0	6.0	5.0	4.0	6.0	37.0	30.0	26.0	93.0
T041049	8.0	4.0	4.0	5.0	5.0	4.0	5.0	35.0	30.0	27.0	92.0
T041050	8.0	4.0	5.0	6.0	5.0	4.0	5.0	37.0	30.0	27.0	94.0
T041052	7.0	4.0	4.0	5.0	5.0	3.0	5.0	33.0	30.0	28.0	91.0
T041053	8.0	4.0	5.0	5.0	5.0	4.0	5.0	36.0	30.0	26.0	92.0
T041054	8.0	4.0	5.0	5.0	5.0	4.0	6.0	37.0	30.0	26.0	93.0
T041055	8.0	4.0	6.0	6.0	5.0	4.0	5.0	38.0	30.0	26.0	94.0
T041056	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T041057	8.0	3.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T041058	8.0	3.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T041059	7.0	2.0	4.0	4.0	5.0	4.0	4.0	30.0	30.0	26.0	86.0
T041060	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T041061	7.0	3.0	5.0	5.0	3.0	4.0	5.0	32.0	30.0	26.0	88.0
T041062	7.0	3.0	3.0	3.0	3.0	4.0	4.0	27.0	30.0	26.0	83.0
T041063	7.0	3.0	4.0	5.0	4.0	4.0	4.0	31.0	30.0	26.0	87.0
T041064	7.0	4.0	5.0	4.0	4.0	5.0	4.0	33.0	30.0	26.0	89.0
T042001	7.0	3.0	4.0	4.0	4.0	4.0	4.0	30.0	30.0	26.0	86.0
T042002	7.0	3.0	4.0	4.0	4.0	4.0	4.0	30.0	30.0	26.0	86.0
T042003	7.0	4.0	4.0	4.0	4.0	4.0	4.0	31.0	30.0	26.0	87.0
T042004	7.0	4.0	4.0	4.0	4.0	4.0	4.0	31.0	30.0	26.0	87.0
T042005	7.0	4.0	4.0	4.0	4.0	4.0	5.0	32.0	30.0	26.0	88.0
T042006	7.0	4.0	4.0	4.0	5.0	4.0	5.0	33.0	30.0	26.0	89.0
T042007	7.0	4.0	4.0	4.0	5.0	4.0	5.0	33.0	30.0	26.0	89.0
T042008	7.0	4.0	4.0	4.0	4.0	4.0	5.0	32.0	30.0	26.0	88.0
T042009	8.0	4.0	4.0	4.0	4.0	4.0	5.0	33.0	30.0	26.0	89.0
T042010	7.0	4.0	4.0	4.0	5.0	4.0	5.0	33.0	30.0	26.0	89.0
T042011	7.0	4.0	5.0	4.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T042012	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T042013	8.0	4.0	4.0	5.0	4.0	4.0	4.0	33.0	30.0	27.0	90.0
T042014	8.0	4.0	4.0	4.0	4.0	4.0	4.0	32.0	30.0	26.0	88.0
T042015	7.0	4.0	4.0	5.0	4.0	4.0	4.0	32.0	30.0	26.0	88.0
T042016	8.0	4.0	4.0	5.0	4.0	4.0	4.0	33.0	30.0	26.0	89.0
T042017	8.0	4.0	4.0	5.0	4.0	4.0	4.0	33.0	30.0	27.0	90.0
T042018	8.0	4.0	5.0	5.0	6.0	4.0	6.0	38.0	30.0	26.0	94.0
T042019	8.0	4.0	5.0	4.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T042020	8.0	4.0	5.0	5.0	4.0	5.0	4.0	35.0	30.0	26.0	91.0
T042021	8.0	5.0	5.0	5.0	4.0	5.0	5.0	37.0	30.0	26.0	93.0
T042022	8.0	5.0	4.0	4.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T042023	8.0	5.0	4.0	4.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T042024	8.0	5.0	5.0	5.0	4.0	4.0	4.0	35.0	30.0	26.0	91.0
T042025	8.0	5.0	5.0	5.0	5.0	4.0	5.0	37.0	30.0	26.0	93.0
T043001	7.0	4.0	5.0	4.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T043002	6.5	3.0	4.5	4.5	4.5	3.0	4.0	30.0	30.0	26.0	86.0
T043003	5.5	3.0	4.5	4.5	4.0	3.5	3.5	28.5	30.0	27.0	85.5
T043004	6.0	3.0	4.0	4.0	2.5	2.5	3.5	25.5	30.0	26.0	81.5
T043005	5.5	3.0	4.0	4.0	3.0	2.5	3.5	25.5	30.0	27.0	82.5
T043006	5.5	3.0	4.0	4.0	3.0	3.0	3.0	25.5	30.0	26.0	81.5
T043007	6.0	3.0	4.0	4.0	2.5	3.0	3.5	26.0	30.0	26.0	82.0
T043008	5.5	3.0	3.5	4.0	3.0	3.5	3.0	25.5	30.0	26.0	81.5
T043009	5.5	3.0	4.0	4.0	3.5	2.5	3.5	26.0	30.0	26.0	82.0
T043010	6.0	3.0	4.5	4.0	3.5	2.5	4.0	27.5	30.0	26.0	83.5
T043011	6.0	3.0	4.5	4.0	3.5	3.0	3.5	27.5	30.0	26.0	83.5
T043012	6.5	3.0	5.0	4.5	4.0	2.5	5.0	30.5	30.0	26.5	87.0
T043013	6.0	3.0	3.5	4.5	4.5	3.5	3.5	28.5	30.0	26.0	84.5
T043014	6.5	3.0	4.5	4.0	4.5	3.0	4.0	29.5	30.0	25.5	85.0
T043015	6.0	3.0	4.5	4.0	3.5	3.5	3.5	28.0	30.0	25.5	83.5

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T043016	5.5	3.0	2.5	4.0	3.0	3.5	3.5	25.0	30.0	26.5	81.5
T043017	6.0	3.0	4.0	4.0	4.0	2.5	4.0	27.5	30.0	26.0	83.5
T043018	6.0	3.0	4.0	4.5	4.0	3.0	4.0	28.5	30.0	26.0	84.5
T043019	6.0	3.0	4.0	4.0	4.0	2.0	4.0	27.0	30.0	27.0	84.0
T043020	6.0	3.0	5.0	4.0	4.0	3.0	5.0	30.0	30.0	25.0	85.0
T043021	7.0	3.0	5.0	4.0	5.0	3.0	5.0	32.0	30.0	27.0	89.0
T044001	6.0	3.0	5.0	4.0	4.0	3.0	4.0	29.0	30.0	26.0	85.0
T044002	6.0	3.0	5.0	4.0	4.0	3.0	3.0	28.0	30.0	27.0	85.0
T044003	6.0	3.0	5.0	4.0	4.0	3.0	4.0	29.0	30.0	25.0	84.0
T044004	6.0	3.0	4.0	4.0	4.0	2.0	4.0	27.0	30.0	26.0	83.0
T044005	6.5	3.0	4.0	3.0	4.0	3.0	3.0	26.5	30.0	25.0	81.5
T044006	6.0	3.0	4.0	4.5	4.0	3.0	4.0	28.5	30.0	26.0	84.5
T044007	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	28.0	86.0
T044008	6.5	3.0	5.0	4.0	4.0	3.0	4.0	29.5	30.0	27.0	86.5
T044009	6.0	3.0	4.0	4.0	4.0	3.0	4.5	28.5	30.0	26.0	84.5
T044010	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	26.0	84.0
T044011	5.0	3.0	4.0	4.0	4.0	3.0	4.0	27.0	30.0	26.0	83.0
T044012	8.0	3.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	28.0	92.0
T044013	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	26.0	84.0
T044014	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	26.0	84.0
T044015	6.0	3.0	4.0	5.0	4.0	3.0	4.0	29.0	30.0	26.0	85.0
T044016	6.0	3.0	4.5	5.0	4.0	3.0	4.0	29.5	30.0	25.0	84.5
T044017	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	26.0	84.0
T044018	6.0	3.0	4.0	4.0	4.0	3.0	4.5	28.5	30.0	26.0	84.5
T044019	6.0	3.0	4.5	4.0	4.0	3.0	4.0	28.5	30.0	27.0	85.5
T044020	8.0	3.0	4.0	4.0	4.0	3.0	4.0	30.0	30.0	25.0	85.0
T044021	7.0	3.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	26.0	85.0
T044022	6.0	3.0	4.0	4.0	4.5	3.0	4.0	28.5	30.0	25.0	83.5
T044023	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	26.0	84.0

西南交通大学电气工程学院卫生检查成绩（天佑斋1号-2016级男生）

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床6分	垃圾 筐 4分	洗手 间 6分				
T015002	6.0	3.0	5.0	4.0	4.0	3.0	5.0	30.0	30.0	28.0	88.0
T015003	7.0	4.0	4.0	4.0	4.0	3.0	5.0	31.0	30.0	28.0	89.0
T015004	8.0	4.0	5.0	5.0	5.0	3.0	5.0	35.0	30.0	28.0	93.0
T015005	7.0	4.0	5.0	4.0	4.0	3.0	4.0	31.0	30.0	30.0	91.0
T015006	6.0	4.0	5.0	5.0	4.0	4.0	4.0	32.0	30.0	28.0	90.0
T015007	6.0	4.0	5.0	4.0	4.0	3.0	4.0	30.0	30.0	26.0	86.0
T015008	6.0	3.0	4.0	3.0	3.0	3.0	4.0	26.0	30.0	30.0	86.0
T015009	6.0	4.0	5.0	4.0	4.0	4.0	3.0	30.0	30.0	30.0	90.0
T015010	7.0	4.0	5.0	5.0	4.0	3.0	4.0	32.0	30.0	28.0	90.0
T015011	7.0	4.0	5.0	5.0	4.0	4.0	5.0	34.0	30.0	30.0	94.0
T015012	7.0	4.0	4.0	3.0	4.0	3.0	3.0	28.0	30.0	28.0	86.0
T015013	7.0	4.0	4.0	4.0	4.0	4.0	4.0	31.0	30.0	26.0	87.0
T015014	6.0	4.0	5.0	4.0	4.0	3.0	4.0	30.0	30.0	26.0	86.0
T015015	7.0	4.0	4.0	3.0	3.0	3.0	3.0	27.0	30.0	28.0	85.0
T015016	6.0	4.0	4.0	4.0	4.0	4.0	3.0	29.0	30.0	28.0	87.0
T015017	6.0	4.0	3.0	3.0	4.0	3.0	4.0	27.0	30.0	26.0	83.0
T015018	8.0	4.0	4.0	5.0	4.0	4.0	5.0	34.0	30.0	30.0	94.0
T015019	7.0	4.0	5.0	4.0	5.0	4.0	4.0	33.0	30.0	28.0	91.0
T015020	8.0	4.0	6.0	5.0	5.0	4.0	5.0	37.0	30.0	30.0	97.0
T015021	8.0	3.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	30.0	95.0
T015022	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T015023	8.0	4.0	5.0	5.0	5.0	4.0	5.0	36.0	30.0	30.0	96.0
T015024	7.0	4.0	5.0	4.0	4.0	4.0	3.0	31.0	30.0	26.0	87.0
T015025	7.0	4.0	5.0	4.0	4.0	4.0	3.0	31.0	30.0	30.0	91.0
T015026	7.0	4.0	4.0	5.0	4.0	3.0	4.0	31.0	30.0	26.0	87.0
T015027	8.0	4.0	5.0	4.0	5.0	4.0	5.0	35.0	30.0	28.0	93.0
T015028	8.0	4.0	4.0	4.0	4.0	4.0	5.0	33.0	30.0	30.0	93.0
T015029	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T015030	8.0	4.0	5.0	4.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T015031	7.0	4.0	4.0	4.0	4.0	4.0	5.0	32.0	30.0	26.0	88.0
T015032	6.0	4.0	4.0	3.0	4.0	3.0	3.0	27.0	30.0	30.0	87.0
T015033	6.0	4.0	4.0	3.0	3.0	3.0	3.0	26.0	30.0	26.0	82.0
T015034	7.0	4.0	4.0	4.0	3.0	3.0	4.0	29.0	30.0	30.0	89.0
T015035	7.0	4.0	3.0	4.0	3.0	3.0	4.0	28.0	30.0	28.0	86.0
T015036	7.0	4.0	5.0	4.0	4.0	4.0	4.0	32.0	30.0	28.0	90.0
T015037	8.0	4.0	4.0	5.0	4.0	4.0	5.0	34.0	30.0	28.0	92.0
T015038	7.0	4.0	6.0	5.0	4.0	3.0	5.0	34.0	30.0	28.0	92.0
T015039	6.0	3.0	4.0	5.0	5.0	2.0	4.0	29.0	30.0	26.0	85.0
T015040	7.0	4.0	5.0	6.0	5.0	4.0	5.0	36.0	30.0	27.0	93.0
T015041	6.0	4.0	4.0	4.0	5.0	3.0	4.0	30.0	30.0	26.0	86.0
T015042	7.0	4.0	5.0	6.0	5.0	3.0	5.0	35.0	30.0	27.0	92.0
T015043	6.0	4.0	4.0	5.0	4.0	3.0	5.0	31.0	30.0	26.0	87.0
T015044	7.0	4.0	4.0	5.0	5.0	4.0	5.0	34.0	30.0	25.0	89.0
T015045	6.0	4.0	5.0	5.0	4.0	4.0	5.0	33.0	30.0	26.0	89.0
T015046	7.0	4.0	4.0	5.0	5.0	4.0	5.0	34.0	30.0	25.0	89.0
T015047	6.0	4.0	4.0	5.0	5.0	3.0	5.0	32.0	30.0	25.0	87.0
T015048	7.0	4.0	4.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015049	7.0	4.0	4.0	4.0	4.0	2.0	5.0	30.0	30.0	25.0	85.0
T015050	6.0	4.0	4.0	4.0	3.0	3.0	5.0	29.0	30.0	27.0	86.0
T015051	7.0	4.0	4.0	5.0	4.0	3.0	6.0	33.0	30.0	26.0	89.0
T015052	6.0	4.0	3.0	4.0	4.0	3.0	4.0	28.0	30.0	25.0	83.0
T015053	7.0	4.0	5.0	5.0	6.0	4.0	5.0	36.0	30.0	26.0	92.0
T015054	6.0	4.0	3.0	4.0	5.0	4.0	4.0	30.0	30.0	26.0	86.0
T015055	7.0	4.0	5.0	5.0	4.0	2.0	5.0	32.0	30.0	26.0	88.0
T015056	7.0	4.0	5.0	5.0	4.0	2.0	5.0	32.0	30.0	26.0	88.0
T015057	7.0	4.0	5.0	4.0	5.0	2.0	5.0	32.0	30.0	27.0	89.0
T015058	7.0	4.0	4.0	4.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T015059	7.0	4.0	5.0	5.0	6.0	2.0	5.0	34.0	30.0	27.0	91.0
T015060	6.0	4.0	3.0	4.0	4.0	2.0	5.0	28.0	30.0	26.0	84.0
T015061	7.0	4.0	5.0	4.0	3.0	3.0	5.0	31.0	30.0	27.0	88.0
T015062	7.0	4.0	5.0	4.0	3.0	3.0	4.0	30.0	30.0	26.0	86.0
T015063	7.0	4.0	5.0	5.0	3.0	3.0	4.0	31.0	30.0	25.0	86.0
T015064	7.0	4.0	4.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015065	7.0	4.0	5.0	5.0	4.0	3.0	4.0	32.0	30.0	26.0	88.0
T015066	6.0	4.0	4.0	5.0	4.0	2.0	4.0	29.0	30.0	26.0	85.0
T015067	7.0	4.0	4.0	4.0	5.0	3.0	5.0	32.0	30.0	27.0	89.0
T015068	7.0	4.0	5.0	6.0	5.0	3.0	6.0	36.0	30.0	26.0	92.0
T015069	7.0	4.0	5.0	6.0	5.0	3.0	6.0	36.0	30.0	26.0	92.0
T015070	7.0	4.0	4.0	5.0	4.0	3.0	4.0	31.0	30.0	26.0	87.0
T015071	7.0	4.0	5.0	4.0	5.0	4.0	4.0	33.0	30.0	27.0	90.0
T015072	7.0	4.0	5.0	4.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015073	7.0	4.0	4.0	5.0	4.0	3.0	4.0	31.0	30.0	26.0	87.0
T015074	7.0	4.0	4.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T015075	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	27.0	91.0
T015076	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T015077	7.0	4.0	5.0	5.0	4.0	3.0	5.0	33.0	30.0	27.0	90.0
T015078	6.0	4.0	5.0	4.0	4.0	3.0	5.0	31.0	30.0	25.0	86.0
T015079	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T015080	8.0	4.0	5.0	5.0	4.0	4.0	5.0	35.0	30.0	27.0	92.0
T015081	7.0	4.0	5.0	5.0	4.0	3.0	5.0	33.0	30.0	27.0	90.0
T015082	7.0	4.0	5.0	5.0	4.0	4.0	5.0	34.0	30.0	26.0	90.0
T015083	8.0	4.0	5.0	5.0	4.0	4.0	5.0	35.0	30.0	26.0	91.0
T015084	6.0	4.0	4.0	4.0	4.0	3.0	5.0	30.0	30.0	25.0	85.0
T015085	7.0	4.0	5.0	5.0	4.0	3.0	5.0	33.0	30.0	26.0	89.0
T015086	8.0	4.0	6.0	5.0	5.0	4.0	5.0	37.0	30.0	27.0	94.0
T015087	8.0	4.0	6.0	5.0	5.0	4.0	5.0	37.0	30.0	27.0	94.0
T015088	7.0	4.0	6.0	4.0	4.0	4.0	5.0	34.0	30.0	26.0	90.0
T015089	6.0	3.0	5.0	5.0	4.0	4.0	5.0	32.0	30.0	25.0	87.0
T015090	7.0	4.0	5.0	4.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015091	7.0	3.0	5.0	4.0	4.0	3.0	5.0	31.0	30.0	26.0	87.0
T015092	7.0	4.0	5.0	4.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T015093	7.0	4.0	5.0	4.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T015094	7.0	4.0	4.0	4.0	4.0	3.0	5.0	31.0	30.0	26.0	87.0
T015095	7.0	4.0	5.0	4.0	3.0	3.0	5.0	31.0	30.0	26.0	87.0
T015096	6.0	4.0	5.0	4.0	4.0	3.0	5.0	31.0	30.0	26.0	87.0
T015097	7.0	4.0	5.0	4.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T015098	7.0	3.0	5.0	4.0	3.0	3.0	5.0	30.0	30.0	26.0	86.0
T015099	7.0	3.0	5.0	4.0	4.0	3.0	5.0	31.0	30.0	25.0	86.0
T015100	6.0	3.0	4.0	4.0	5.0	3.0	5.0	30.0	30.0	26.0	86.0
T015101	7.0	3.0	5.0	4.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015102	7.0	4.0	5.0	4.0	3.0	3.0	5.0	31.0	30.0	26.0	87.0
T015103	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T015104	7.0	3.0	5.0	5.0	4.0	4.0	5.0	33.0	30.0	26.0	89.0
T015105	7.0	4.0	5.0	4.0	4.0	4.0	5.0	33.0	30.0	26.0	89.0
T015106	7.0	4.0	5.0	5.0	4.0	3.0	5.0	33.0	30.0	26.0	89.0
T015107	7.0	4.0	5.0	5.0	4.0	3.0	5.0	33.0	30.0	26.0	89.0
T015108	7.0	4.0	5.0	5.0	4.0	3.0	5.0	33.0	30.0	26.0	89.0
T016082	7.0	4.0	5.0	4.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T016083	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T016084	7.0	4.0	5.0	4.0	4.0	4.0	5.0	33.0	30.0	26.0	89.0
T016085	7.0	4.0	5.0	4.0	4.0	4.0	5.0	33.0	30.0	26.0	89.0

西南交通大学电气工程学院卫生检查成绩（天佑斋3号-2015级男生）

寝室号	检查项目							寝室卫生成绩40分	寝室安全成绩30分	寝室文化成绩30分	总分100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T034089	6.0	3.0	5.0	4.5	4.0	3.0	4.5	30.0	30.0	26.0	86.0
T034090	6.5	3.0	5.0	5.0	5.0	3.0	4.5	32.0	30.0	26.5	88.5
T034091	6.0	3.0	5.0	4.5	4.0	3.0	4.0	29.5	30.0	25.0	84.5
T034092	6.0	3.0	5.0	4.0	5.0	3.0	4.5	30.5	30.0	26.0	86.5
T034093	6.5	3.0	5.0	4.5	4.5	3.0	4.0	30.5	30.0	25.0	85.5
T034094	6.0	3.0	5.0	4.5	4.5	3.0	4.0	30.0	30.0	25.5	85.5
T034095	6.5	3.0	5.0	4.5	4.5	3.5	4.5	31.5	30.0	26.0	87.5
T034096	6.0	3.0	4.5	4.0	4.0	3.0	4.0	28.5	30.0	25.5	84.0
T034097	6.5	3.0	5.5	4.5	4.5	2.5	4.0	30.5	30.0	26.0	86.5
T034098	6.5	3.5	4.5	5.0	5.0	3.0	5.0	32.5	30.0	27.0	89.5
T034099	6.5	3.0	5.0	5.5	5.5	3.5	4.5	33.5	30.0	26.0	89.5
T034100	6.0	3.0	5.0	5.0	5.0	2.5	4.0	30.5	30.0	25.0	85.5
T035035	6.0	3.5	6.0	5.5	5.5	3.5	5.5	35.5	30.0	27.0	92.5
T035036	7.0	3.0	5.5	5.5	5.0	4.0	5.5	35.5	30.0	27.0	92.5
T035037	6.0	3.0	5.0	5.0	4.5	3.0	4.5	31.0	30.0	26.0	87.0
T035038	6.0	3.0	5.5	5.0	5.0	3.0	4.5	32.0	30.0	27.0	89.0
T035039	6.0	3.0	5.5	5.5	5.5	3.5	5.0	34.0	30.0	26.5	90.5
T035040	6.0	3.0	5.0	4.5	4.5	3.0	4.5	30.5	30.0	26.0	86.5
T035041	6.0	3.0	5.0	4.5	5.0	3.5	4.5	31.5	30.0	26.5	88.0
T035042	6.0	3.0	4.5	4.0	4.5	3.5	4.5	30.0	30.0	26.0	86.0
T035043	6.0	3.0	4.0	4.0	5.5	3.0	4.0	29.5	30.0	27.0	86.5
T035044	6.0	3.0	5.0	4.5	5.0	3.0	4.0	30.5	30.0	27.0	87.5
T035045	6.0	3.0	4.5	3.5	4.5	3.0	4.0	28.5	30.0	26.5	85.0
T035046	4.5	3.0	4.5	5.5	5.0	2.0	5.0	29.5	30.0	25.0	84.5
T035047	6.0	3.0	4.0	4.5	5.0	3.0	5.0	30.5	30.0	25.0	85.5
T035048	6.5	3.0	4.5	5.0	5.0	3.5	5.0	32.5	30.0	26.0	88.5
T035049	7.0	3.0	4.5	5.0	5.0	3.5	4.5	32.5	30.0	26.0	88.5
T035050	7.0	3.0	5.0	5.0	5.0	3.5	5.0	33.5	30.0	26.5	90.0
T035051	6.5	3.0	4.5	5.0	5.0	3.0	4.0	31.0	30.0	26.0	87.0
T035052	6.5	3.0	4.0	5.0	5.0	3.0	5.0	31.5	30.0	26.0	87.5
T035053	6.0	3.0	4.5	5.0	5.0	3.5	4.5	31.5	30.0	27.5	89.0
T035054	5.5	3.0	4.5	4.5	4.5	3.5	4.5	30.0	30.0	26.5	86.5
T035055	6.0	3.0	4.5	4.5	4.5	3.0	5.0	30.5	30.0	25.5	86.0
T035056	6.5	3.0	3.5	4.0	4.0	3.0	4.0	28.0	30.0	25.0	83.0
T035057	6.5	3.0	4.0	4.5	4.5	3.0	4.5	30.0	30.0	25.5	85.5
T035058	6.5	3.0	4.5	4.5	4.5	3.5	4.5	31.0	30.0	25.5	86.5
T035059	7.0	3.0	5.0	5.0	5.0	3.5	5.0	33.5	30.0	25.5	89.0
T035060	6.0	3.0	4.5	5.0	5.0	3.5	4.5	31.5	30.0	26.0	87.5
T035061	6.5	3.0	4.5	4.5	4.5	3.5	4.5	31.0	30.0	25.5	86.5
T035062	7.0	3.0	4.5	4.5	4.5	4.0	5.0	32.5	30.0	26.0	88.5
T035063	7.0	3.5	4.0	5.0	5.0	3.5	4.5	32.5	30.0	25.5	88.0
T035064	6.0	3.5	4.5	5.0	5.0	4.0	5.0	33.0	30.0	25.0	88.0
T035065	6.0	3.0	4.0	5.0	5.0	3.5	4.5	31.0	30.0	25.0	86.0
T035066	7.5	3.0	4.0	4.5	4.5	3.5	3.5	30.5	30.0	26.0	86.5
T035067	7.0	3.0	4.0	5.0	3.0	3.0	6.0	31.0	30.0	26.0	87.0
T035068	7.0	3.0	4.0	5.0	3.0	4.0	5.0	31.0	30.0	28.0	89.0
T035069	7.0	3.0	3.0	5.0	3.0	4.0	6.0	31.0	30.0	27.0	88.0
T035070	7.0	3.0	4.0	5.0	3.0	3.0	6.0	31.0	30.0	26.0	87.0
T035071	7.0	3.0	5.0	5.0	5.0	3.0	6.0	34.0	30.0	0.0	64.0
T035072	7.0	3.0	4.0	4.0	3.0	3.0	6.0	30.0	30.0	26.0	86.0
T035073	7.0	3.0	5.0	5.0	5.0	4.0	6.0	35.0	30.0	26.0	91.0
T035074	7.0	3.0	4.0	4.0	3.0	3.0	6.0	30.0	30.0	26.0	86.0
T035075	7.0	3.0	4.0	4.0	3.0	3.0	6.0	30.0	0.0	26.0	56.0
T035076	7.0	3.0	4.0	4.0	3.0	3.0	6.0	30.0	30.0	26.0	86.0
T035077	7.0	3.0	4.0	5.0	3.0	3.0	6.0	31.0	30.0	25.0	86.0
T035078	7.0	3.0	4.0	4.0	3.0	3.0	6.0	30.0	30.0	26.0	86.0
T035079	7.0	3.0	4.0	4.0	3.0	3.0	6.0	30.0	30.0	26.0	86.0

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T035080	7.0	3.0	4.0	4.0	4.0	3.0	6.0	31.0	30.0	26.0	87.0
T035081	7.0	3.0	3.0	4.0	3.0	4.0	6.0	30.0	30.0	27.0	87.0
T035082	7.0	3.0	4.0	4.0	3.0	4.0	6.0	31.0	30.0	26.0	87.0
T035083	7.0	3.0	4.0	4.0	3.0	4.0	6.0	31.0	30.0	26.0	87.0
T035084	7.0	3.0	4.0	5.0	3.0	4.0	6.0	32.0	30.0	27.0	89.0
T035085	7.0	3.0	5.0	5.0	3.0	4.0	6.0	33.0	30.0	28.0	91.0
T035086	7.0	3.0	4.0	5.0	4.0	3.0	6.0	32.0	30.0	27.0	89.0
T035087	7.0	3.0	4.0	4.0	3.0	3.0	6.0	30.0	30.0	26.0	86.0
T035088	7.0	3.0	3.0	5.0	4.0	4.0	6.0	32.0	30.0	26.0	88.0
T035089	7.0	3.0	5.0	5.0	5.0	4.0	6.0	35.0	30.0	26.0	91.0
T035090	7.0	3.0	4.0	4.0	3.0	3.0	6.0	30.0	30.0	27.0	87.0
T035091	7.0	3.0	4.0	4.0	3.0	3.0	6.0	30.0	30.0	27.0	87.0
T035092	7.0	3.0	4.0	4.0	3.0	3.0	6.0	30.0	30.0	26.0	86.0
T035093	7.0	3.0	4.0	5.0	3.0	3.0	6.0	31.0	30.0	26.0	87.0
T035094	7.0	3.0	4.0	5.0	3.0	3.0	6.0	31.0	30.0	26.0	87.0
T035095	7.0	3.0	4.0	4.0	3.0	3.0	6.0	30.0	30.0	26.0	86.0
T035096	7.0	3.0	5.0	4.0	3.0	3.0	6.0	31.0	30.0	27.0	88.0
T035097	7.0	3.0	5.0	4.0	2.0	3.0	6.0	30.0	30.0	26.0	86.0
T035098	7.0	4.0	5.0	5.0	4.0	4.0	6.0	35.0	30.0	28.0	93.0
T035099	7.0	3.0	5.0	5.0	2.0	4.0	6.0	32.0	30.0	26.0	88.0
T035100	7.0	3.0	5.0	5.0	2.0	4.0	6.0	32.0	30.0	27.0	89.0
T035101	7.0	3.0	4.0	4.0	2.0	3.0	6.0	29.0	30.0	26.0	85.0
T035102	7.0	3.0	5.0	5.0	3.0	4.0	6.0	33.0	30.0	26.0	89.0
T035103	7.0	3.0	5.0	4.0	3.0	4.0	6.0	32.0	30.0	27.0	89.0
T035104	7.0	3.0	5.0	5.0	3.0	3.0	6.0	32.0	30.0	27.0	89.0
T035105	7.0	3.0	6.0	4.0	4.0	2.0	6.0	32.0	30.0	27.0	89.0
T035106	7.0	3.0	4.0	4.0	4.0	2.0	6.0	30.0	30.0	28.0	88.0
T035107	7.0	3.0	4.0	5.0	5.0	4.0	6.0	34.0	30.0	27.0	91.0
T035108	7.0	3.0	3.0	4.0	3.0	3.0	6.0	29.0	30.0	27.0	86.0

西南交通大学电气工程学院卫生检查成绩（天佑斋19号-2014级男生）

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T191019	7.0	3.0	4.0	5.0	4.0	3.0	5.0	31.0	30.0	27.0	88.0
T191020	6.0	3.0	4.0	4.0	5.0	3.0	5.0	30.0	30.0	27.0	87.0
T191021	6.0	3.0	4.0	5.0	5.0	3.0	5.0	31.0	30.0	27.0	88.0
T191022	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	27.0	86.0
T191023	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	27.0	85.0
T191024	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	27.0	85.0
T191025	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T191026	6.0	3.0	4.0	5.0	5.0	3.0	5.0	31.0	30.0	27.0	88.0
T191027	6.0	3.0	4.0	5.0	4.0	3.0	5.0	30.0	30.0	27.0	87.0
T191028	7.0	3.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	27.0	86.0
T191029	6.0	3.0	4.0	5.0	4.0	3.0	4.0	29.0	30.0	27.0	86.0
T191030	6.0	3.0	4.0	5.0	5.0	3.0	4.0	30.0	30.0	27.0	87.0
T191031	6.0	3.0	4.0	5.0	4.0	3.0	5.0	30.0	30.0	27.0	87.0
T191032	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T191033	7.0	3.0	5.0	4.0	4.0	3.0	5.0	31.0	30.0	28.0	89.0
T191034	6.0	3.0	5.0	4.0	4.0	3.0	5.0	30.0	30.0	27.0	87.0
T191035	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	27.0	89.0
T191036	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	27.0	85.0
T191038	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	27.0	85.0
T191039	7.0	3.0	4.0	4.0	5.0	3.0	4.0	30.0	30.0	27.0	87.0
T191040	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	27.0	86.0
T191041	6.0	3.0	5.0	5.0	4.0	3.0	4.0	30.0	30.0	27.0	87.0
T191042	7.0	3.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	27.0	86.0
T191043	7.0	3.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	27.0	86.0
T191044	6.0	3.0	4.0	4.0	5.0	3.0	5.0	30.0	30.0	27.0	87.0
T191045	7.0	3.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	27.0	86.0
T191046	7.0	3.0	4.0	5.0	4.0	3.0	4.0	30.0	30.0	27.0	87.0
T191047	8.0	4.0	5.0	4.0	5.0	3.0	5.0	34.0	30.0	28.0	92.0
T191048	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	27.0	85.0
T191049	8.0	4.0	5.0	5.0	4.0	3.0	4.0	33.0	30.0	28.0	91.0
T191050	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	26.0	84.0
T191051	8.0	4.0	4.0	5.0	4.0	3.0	5.0	33.0	30.0	28.0	91.0
T191052	7.0	3.0	5.0	4.0	4.0	3.0	5.0	31.0	30.0	27.0	88.0
T191053	7.0	3.0	5.0	4.0	4.0	3.0	5.0	31.0	30.0	27.0	88.0
T191054	7.0	3.0	5.0	4.0	5.0	3.0	4.0	31.0	30.0	27.0	88.0
T191055	7.0	3.0	5.0	5.0	4.0	4.0	5.0	33.0	30.0	28.0	91.0
T191056	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	28.0	90.0
T191057	7.0	3.0	4.0	5.0	5.0	3.0	4.0	31.0	30.0	27.0	88.0
T191058	7.0	3.0	4.0	5.0	4.0	3.0	4.0	30.0	30.0	27.0	87.0
T191059	6.0	3.0	4.0	4.0	3.0	2.0	4.0	26.0	30.0	28.0	84.0
T191065	7.0	3.0	3.0	4.0	3.0	3.0	5.0	28.0	30.0	27.0	85.0
T191066	3.0	2.0	4.0	4.0	4.0	3.0	4.0	24.0	30.0	28.0	82.0
T191067	6.0	3.0	3.0	4.0	3.0	3.0	4.0	26.0	30.0	28.0	84.0
T191068	6.0	2.0	3.0	3.0	3.0	3.0	5.0	25.0	30.0	27.0	82.0
T191069	7.0	3.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	28.0	87.0
T191070	5.0	2.0	3.0	4.0	3.0	3.0	4.0	24.0	30.0	26.0	80.0
T191072	5.0	2.0	3.0	4.0	4.0	2.0	4.0	24.0	30.0	26.0	80.0
T191073	7.0	3.0	3.0	5.0	4.0	3.0	3.0	28.0	30.0	27.0	85.0
T191074	6.0	2.0	3.0	3.0	3.0	3.0	5.0	25.0	30.0	26.0	81.0
T191075	6.0	3.0	4.0	4.0	3.0	3.0	4.0	27.0	30.0	28.0	85.0
T191076	6.0	2.0	3.0	3.0	4.0	2.0	5.0	25.0	30.0	27.0	82.0
T191077	7.0	4.0	3.0	4.0	4.0	2.0	4.0	28.0	30.0	27.0	85.0
T191078	6.0	3.0	4.0	4.0	4.0	3.0	3.0	27.0	30.0	28.0	85.0
T191079	7.0	4.0	4.0	3.0	3.0	2.0	4.0	27.0	30.0	26.0	83.0
T191080	7.0	3.0	4.0	3.0	3.0	2.0	3.0	25.0	30.0	26.0	81.0
T191081	6.0	4.0	3.0	4.0	4.0	3.0	4.0	28.0	30.0	28.0	86.0
T191082	7.0	3.0	4.0	3.0	4.0	2.0	5.0	28.0	30.0	26.0	84.0

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T191083	6.0	4.0	4.0	5.0	5.0	2.0	4.0	30.0	30.0	26.0	86.0
T191084	6.0	2.0	4.0	3.0	4.0	3.0	4.0	26.0	30.0	27.0	83.0
T191085	5.0	3.0	4.0	3.0	3.0	3.0	3.0	24.0	30.0	27.0	81.0
T191086	6.0	3.0	3.0	4.0	3.0	3.0	4.0	26.0	30.0	28.0	84.0
T191087	6.0	4.0	4.0	5.0	5.0	3.0	5.0	32.0	30.0	29.0	91.0
T192050	5.0	4.0	4.0	3.0	3.0	3.0	3.0	25.0	30.0	26.0	81.0
T192051	5.0	3.0	5.0	4.0	4.0	3.0	4.0	28.0	30.0	27.0	85.0
T192052	6.0	3.0	4.0	3.0	3.0	2.0	3.0	24.0	30.0	27.0	81.0
T192053	6.0	2.0	4.0	5.0	4.0	3.0	4.0	28.0	30.0	26.0	84.0
T192054	6.0	3.0	4.0	3.0	3.0	3.0	3.0	25.0	30.0	26.0	81.0
T192055	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	27.0	85.0
T192056	6.0	3.0	5.0	3.0	3.0	2.0	3.0	25.0	30.0	28.0	83.0
T192057	6.0	3.0	4.0	4.0	5.0	3.0	4.0	29.0	30.0	27.0	86.0
T192058	7.0	3.0	3.0	4.0	3.0	3.0	3.0	26.0	30.0	27.0	83.0
T192059	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	26.0	84.0
T192060	5.0	2.0	3.0	4.0	3.0	2.0	3.0	22.0	30.0	27.0	79.0
T192061	7.0	3.0	3.0	4.0	4.0	3.0	4.0	28.0	30.0	27.0	85.0
T192062	4.0	2.0	4.0	3.0	3.0	2.0	3.0	21.0	30.0	26.0	77.0
T192063	5.0	3.0	4.0	3.0	3.0	3.0	4.0	25.0	30.0	26.0	81.0
T192064	4.0	2.0	4.0	3.0	4.0	2.0	3.0	22.0	30.0	26.0	78.0