

西南交通大学电气工程学院卫生检查成绩（天佑斋17号-2018级男生）

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T174091	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T174092	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	27.0	91.0
T174093	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T174094	7.0	4.0	5.0	5.0	5.0	3.0	6.0	35.0	30.0	26.0	91.0
T174095	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T175062	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T175063	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	27.0	91.0
T175064	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T175065	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T175066	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T175067	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T175068	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T175069	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T175071	6.0	4.0	5.0	4.0	4.0	3.0	5.0	31.0	30.0	26.0	87.0
T175072	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	27.0	91.0
T175073	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T175074	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T175075	8.0	4.0	5.0	6.0	5.0	4.0	5.0	37.0	30.0	27.0	94.0
T175076	6.0	4.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T175077	8.0	4.0	5.0	5.0	4.0	3.0	5.0	34.0	30.0	26.0	90.0
T175078	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T175079	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T175080	6.0	4.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T175081	8.0	4.0	5.0	5.0	5.0	4.0	6.0	37.0	30.0	27.0	94.0
T175082	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T175083	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T175084	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T175085	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	27.0	91.0
T175086	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T175087	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T175088	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T175089	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T175090	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T175091	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T175092	6.0	4.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T175093	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T175094	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T175095	6.0	4.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T175096	7.0	4.0	5.0	6.0	5.0	4.0	5.0	36.0	30.0	26.0	92.0
T176039	7.0	4.0	5.0	6.0	5.0	4.0	5.0	36.0	30.0	26.0	92.0
T176040	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T176041	8.0	4.0	5.0	5.0	5.0	4.0	5.0	36.0	30.0	26.0	92.0
T176042	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T176043	8.0	4.0	5.0	5.0	5.0	3.0	5.0	35.0	30.0	26.0	91.0
T176044	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T176045	7.5	4.0	6.0	5.0	5.0	2.0	6.0	35.5	30.0	25.0	90.5
T176046	7.5	3.0	6.0	5.0	3.5	3.0	5.0	33.0	30.0	25.0	88.0
T176047	7.0	3.5	6.0	5.0	3.0	2.5	5.5	32.5	30.0	26.0	88.5
T176048	8.0	4.0	6.0	5.0	4.0	2.5	5.0	34.5	30.0	26.0	90.5
T176049	7.5	4.0	5.0	4.0	4.0	3.5	6.0	34.0	30.0	26.0	90.0
T176050	8.0	4.0	6.0	5.0	3.0	2.0	6.0	34.0	30.0	25.0	89.0
T176051	8.0	4.0	5.0	5.0	5.0	3.5	6.0	36.5	30.0	25.0	91.5
T176052	7.0	4.0	5.0	5.0	4.0	3.0	6.0	34.0	30.0	26.0	90.0
T176053	7.5	4.0	5.0	5.0	4.0	4.0	6.0	35.5	30.0	26.0	91.5
T176054	8.0	4.0	5.0	5.0	5.0	4.0	5.0	36.0	30.0	25.0	91.0

寝室号	检查项目							寝室卫生成绩40分	寝室安全成绩30分	寝室文化成绩30分	总分100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T176055	8.0	4.0	5.0	5.0	4.0	3.0	5.0	34.0	30.0	26.0	90.0
T176056	7.5	3.5	6.0	5.0	4.0	4.0	5.0	35.0	30.0	25.0	90.0
T176057	8.0	4.0	5.0	5.0	4.5	3.0	5.0	34.5	30.0	25.0	89.5
T176058	8.0	4.0	6.0	5.0	4.0	3.5	5.0	35.5	30.0	25.0	90.5
T176059	7.5	4.0	6.0	6.0	4.5	2.0	5.0	35.0	30.0	25.0	90.0
T176060	7.0	4.0	5.0	5.5	4.0	3.0	5.0	33.5	30.0	26.0	89.5
T176061	8.0	4.0	6.0	5.0	5.5	3.0	5.0	36.5	30.0	26.0	92.5
T176062	8.0	4.0	6.0	5.0	3.5	3.0	6.0	35.5	30.0	25.0	90.5
T176063	7.0	3.0	6.0	6.0	3.0	3.5	5.0	33.5	30.0	26.0	89.5
T176065	7.0	4.0	5.0	5.0	3.5	2.5	5.0	32.0	30.0	25.0	87.0
T176066	8.0	4.0	5.0	5.0	3.0	4.0	5.0	34.0	30.0	25.0	89.0
T176067	7.0	4.0	6.0	5.0	3.5	2.0	5.5	33.0	30.0	26.0	89.0
T176068	7.0	3.5	5.0	5.0	3.0	3.5	6.0	33.0	30.0	25.0	88.0
T176069	7.0	4.0	6.0	5.0	3.5	3.0	6.0	34.5	30.0	26.0	90.5
T176070	7.5	4.0	6.0	5.0	4.5	3.0	6.0	36.0	30.0	26.0	92.0
T176071	7.5	4.0	6.0	5.0	5.0	3.0	6.0	36.5	30.0	25.0	91.5
T176072	8.0	4.0	5.0	5.5	4.5	3.5	6.0	36.5	30.0	26.0	92.5
T176073	8.0	4.0	6.0	6.0	6.0	3.0	5.5	38.5	30.0	26.0	94.5
T176074	7.5	4.0	5.0	6.0	5.5	3.0	5.5	36.5	30.0	26.0	92.5
T176075	7.0	4.0	6.0	5.0	5.0	3.5	5.0	35.5	30.0	26.0	91.5
T176076	8.0	4.0	6.0	5.0	3.5	3.0	5.0	34.5	30.0	25.0	89.5
T176077	7.0	4.0	6.0	5.0	4.5	3.5	4.5	34.5	30.0	26.0	90.5
T176078	7.0	4.0	6.0	5.0	3.0	4.0	5.0	34.0	30.0	25.0	89.0
T176079	7.0	3.5	5.0	5.0	4.0	3.0	5.0	32.5	30.0	25.0	87.5
T176080	7.5	3.5	6.0	5.0	4.0	3.5	5.0	34.5	30.0	25.0	89.5
T176081	8.0	3.5	5.0	5.0	2.5	4.0	5.0	33.0	30.0	25.0	88.0
T176082	7.0	3.5	6.0	5.5	4.5	3.0	6.0	35.5	30.0	26.0	91.5
T176083	8.0	4.0	5.0	6.0	2.5	3.5	6.0	35.0	30.0	25.0	90.0
T176084	7.0	4.0	5.0	5.0	4.5	3.0	5.0	33.5	30.0	26.0	89.5
T176085	7.0	4.0	6.0	5.0	5.5	3.0	5.0	35.5	30.0	26.0	91.5
T176086	7.5	4.0	6.0	5.0	4.0	3.0	5.5	35.0	30.0	25.0	90.0
T176087	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T176088	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	25.0	89.0
T176089	7.0	4.0	5.5	5.0	5.0	3.0	4.5	34.0	30.0	25.0	89.0

西南交通大学电气工程学院卫生检查成绩（天佑斋4号-2017级男生）

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T041041	6.0	4.0	5.0	6.0	5.0	3.0	6.0	35.0	30.0	26.0	91.0
T041047	7.0	3.0	5.0	4.0	4.0	3.0	3.0	29.0	30.0	27.0	86.0
T041048	6.0	3.0	6.0	4.0	5.0	3.0	3.0	30.0	30.0	26.0	86.0
T041049	7.0	4.0	6.0	5.0	5.0	3.0	6.0	36.0	30.0	26.0	92.0
T041050	7.0	3.0	6.0	4.0	6.0	3.0	3.0	32.0	30.0	27.0	89.0
T041052	7.0	3.0	6.0	3.0	5.0	3.0	3.0	30.0	30.0	27.0	87.0
T041053	7.0	4.0	5.0	5.0	6.0	3.0	5.0	35.0	30.0	26.0	91.0
T041054	8.0	4.0	6.0	6.0	6.0	3.0	5.0	38.0	30.0	26.0	94.0
T041055	7.0	4.0	6.0	5.0	5.0	3.0	5.0	35.0	30.0	27.0	92.0
T041056	4.0	2.0	4.0	2.0	4.0	4.0	3.0	23.0	30.0	26.0	79.0
T041058	7.0	3.0	6.0	4.0	5.0	3.0	4.0	32.0	30.0	26.0	88.0
T041059	6.0	3.0	5.0	4.0	5.0	3.0	4.0	30.0	30.0	26.0	86.0
T041060	6.0	3.0	5.0	4.0	5.0	3.0	4.0	30.0	30.0	27.0	87.0
T041061	6.0	3.0	6.0	2.0	6.0	4.0	4.0	31.0	30.0	26.0	87.0
T041062	7.0	3.0	6.0	3.0	4.0	3.0	4.0	30.0	30.0	27.0	87.0
T041063	7.0	3.0	5.0	4.0	5.0	3.0	5.0	32.0	30.0	27.0	89.0
T041064	6.0	3.0	6.0	5.0	5.0	3.0	6.0	34.0	30.0	27.0	91.0
T042001	7.0	4.0	5.0	4.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T042002	7.0	4.0	4.0	6.0	5.0	3.0	2.0	31.0	30.0	27.0	88.0
T042003	7.0	4.0	6.0	4.0	4.0	4.0	5.0	34.0	30.0	26.0	90.0
T042004	7.0	4.0	6.0	5.0	5.0	3.0	5.0	35.0	30.0	27.0	92.0
T042005	8.0	4.0	5.0	4.0	4.0	3.0	6.0	34.0	30.0	26.0	90.0
T042006	7.0	4.0	6.0	5.0	6.0	3.0	5.0	36.0	30.0	26.0	92.0
T042007	7.0	4.0	4.0	5.0	4.0	3.0	4.0	31.0	30.0	26.0	87.0
T042008	6.0	4.0	5.0	2.0	5.0	3.0	3.0	28.0	30.0	27.0	85.0
T042009	7.0	4.0	4.0	4.0	4.0	3.0	3.0	29.0	30.0	26.0	85.0
T042010	7.0	4.0	5.0	6.0	4.0	3.0	4.0	33.0	30.0	27.0	90.0
T042011	7.0	4.0	6.0	4.0	5.0	3.0	4.0	33.0	30.0	26.0	89.0
T042012	8.0	4.0	5.0	6.0	5.0	3.0	3.0	34.0	30.0	26.0	90.0
T042013	7.0	4.0	5.0	5.0	5.0	3.0	6.0	35.0	30.0	27.0	92.0
T042014	7.0	3.0	5.0	4.0	5.0	3.0	4.0	31.0	30.0	27.0	88.0
T042015	7.0	3.0	4.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T042016	7.0	3.0	4.0	3.0	6.0	3.0	3.0	29.0	30.0	26.0	85.0
T042017	7.0	3.0	4.0	4.0	6.0	3.0	4.0	31.0	30.0	27.0	88.0
T042018	7.0	4.0	6.0	6.0	5.0	3.0	6.0	37.0	30.0	26.0	93.0
T042019	7.0	4.0	6.0	3.0	6.0	3.0	3.0	32.0	30.0	26.0	88.0
T042020	7.0	3.0	6.0	3.0	5.0	3.0	2.0	29.0	30.0	26.0	85.0
T042021	7.0	3.0	6.0	3.0	6.0	3.0	6.0	34.0	30.0	26.0	90.0
T042022	6.0	3.0	6.0	3.0	5.0	3.0	3.0	29.0	30.0	26.0	85.0
T042023	8.0	3.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	27.0	91.0
T042024	7.0	3.0	4.0	3.0	5.0	3.0	3.0	28.0	30.0	27.0	85.0
T042025	6.0	3.0	5.0	3.0	5.0	4.0	2.0	28.0	30.0	26.0	84.0
T043001	6.0	4.0	5.0	3.0	6.0	3.0	2.0	29.0	30.0	27.0	86.0
T043002	6.0	3.0	5.0	5.0	5.0	3.0	6.0	33.0	30.0	27.0	90.0
T043003	6.0	3.0	4.0	4.0	5.0	3.0	5.0	30.0	30.0	26.0	86.0
T043004	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T043005	6.0	3.0	4.0	3.0	4.0	3.0	4.0	27.0	30.0	26.0	83.0
T043006	6.0	3.0	4.0	5.0	5.0	3.0	5.0	31.0	30.0	26.0	87.0
T043007	6.0	3.0	5.0	5.0	5.0	4.0	5.0	33.0	30.0	27.0	90.0
T043008	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T043009	6.0	3.0	4.0	3.0	5.0	3.0	5.0	29.0	30.0	27.0	86.0
T043010	6.0	3.0	4.0	4.0	6.0	4.0	6.0	33.0	30.0	26.0	89.0
T043011	6.0	3.0	5.0	4.0	4.0	4.0	5.0	31.0	30.0	27.0	88.0
T043012	6.0	3.0	4.0	4.0	5.0	4.0	5.0	31.0	30.0	27.0	88.0
T043013	6.0	3.0	4.0	5.0	6.0	4.0	5.0	33.0	30.0	26.0	89.0

寝室号	检查项目							寝室卫生成绩40分	寝室安全成绩30分	寝室文化成绩30分	总分100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T043014	6.0	3.0	4.0	4.0	6.0	4.0	5.0	32.0	30.0	27.0	89.0
T043015	6.0	3.0	4.0	3.0	4.0	4.0	4.0	28.0	30.0	26.0	84.0
T043016	5.0	3.0	4.0	3.0	3.0	3.0	4.0	25.0	30.0	26.0	81.0
T043017	5.0	3.0	4.0	3.0	4.0	3.0	4.0	26.0	30.0	26.0	82.0
T043018	6.0	3.0	5.0	5.0	4.0	3.0	5.0	31.0	30.0	26.0	87.0
T043019	6.0	3.0	5.0	5.0	4.0	4.0	4.0	31.0	30.0	26.0	87.0
T043020	6.0	3.0	4.0	4.0	3.0	2.0	6.0	28.0	30.0	26.0	84.0
T043021	6.0	3.0	4.0	3.0	4.0	2.0	6.0	28.0	30.0	26.0	84.0
T044001	6.0	3.0	4.0	3.0	5.0	3.0	6.0	30.0	30.0	26.0	86.0
T044002	6.0	3.0	4.0	4.0	6.0	4.0	6.0	33.0	30.0	26.0	89.0
T044003	6.0	3.0	4.0	3.0	6.0	4.0	5.0	31.0	30.0	26.0	87.0
T044004	6.0	3.0	4.0	3.0	3.0	2.0	5.0	26.0	30.0	26.0	82.0
T044005	5.0	3.0	3.0	3.0	5.0	3.0	4.0	26.0	30.0	26.0	82.0
T044006	6.0	3.0	4.0	4.0	4.0	3.0	5.0	29.0	30.0	26.0	85.0
T044007	6.0	3.0	4.0	3.0	6.0	3.0	5.0	30.0	30.0	27.0	87.0
T044008	5.0	3.0	4.0	4.0	5.0	3.0	5.0	29.0	30.0	26.0	85.0
T044009	6.0	3.0	3.0	4.0	5.0	3.0	5.0	29.0	30.0	26.0	85.0
T044010	6.0	3.0	4.0	4.0	5.0	3.0	5.0	30.0	30.0	26.0	86.0
T044011	6.0	3.0	4.0	4.0	5.0	3.0	5.0	30.0	30.0	26.0	86.0
T044012	6.0	3.0	5.0	5.0	6.0	4.0	6.0	35.0	30.0	26.0	91.0
T044013	6.0	3.0	3.0	3.0	2.0	3.0	5.0	25.0	30.0	26.0	81.0
T044014	6.0	3.0	4.0	4.0	5.0	3.0	6.0	31.0	30.0	27.0	88.0
T044015	6.0	3.0	4.0	4.0	5.0	4.0	6.0	32.0	30.0	26.0	88.0
T044016	6.0	3.0	4.0	5.0	5.0	3.0	4.0	30.0	30.0	27.0	87.0
T044017	6.0	3.0	4.0	5.0	5.0	3.0	5.0	31.0	30.0	26.0	87.0
T044018	6.0	3.0	4.0	3.0	4.0	3.0	6.0	29.0	30.0	26.0	85.0
T044019	6.0	3.0	4.0	3.0	4.0	3.0	4.0	27.0	30.0	26.0	83.0
T044020	6.0	3.0	4.0	4.0	4.0	2.0	5.0	28.0	30.0	27.0	85.0
T044021	6.0	3.0	4.0	4.0	3.0	2.0	4.0	26.0	30.0	26.0	82.0
T044022	6.0	3.0	4.0	5.0	4.0	4.0	5.0	31.0	30.0	26.0	87.0
T044023	6.0	3.0	4.0	3.0	5.0	3.0	5.0	29.0	30.0	26.0	85.0

西南交通大学电气工程学院卫生检查成绩（天佑斋1号-2016级男生）

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床6分	垃圾 筐 4分	洗手 间 6分				
T015002	6.0	3.0	5.0	5.0	5.0	3.0	6.0	33.0	30.0	26.0	89.0
T015003	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	25.0	87.0
T015004	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015005	7.0	3.0	6.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T015006	6.0	3.0	6.0	5.0	5.0	3.0	5.0	33.0	30.0	25.0	88.0
T015007	6.0	3.0	6.0	6.0	5.0	3.0	6.0	35.0	30.0	26.0	91.0
T015008	7.0	3.0	5.0	6.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T015009	7.0	3.0	6.0	5.0	5.0	3.0	5.0	34.0	30.0	27.0	91.0
T015010	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	27.0	89.0
T015011	7.0	3.0	4.0	5.0	5.0	3.0	6.0	33.0	30.0	26.0	89.0
T015012	6.0	3.0	4.0	5.0	6.0	3.0	5.0	32.0	30.0	26.0	88.0
T015013	6.0	3.0	4.0	5.0	6.0	3.0	5.0	32.0	30.0	28.0	90.0
T015014	6.0	3.0	5.0	6.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015015	6.0	3.0	5.0	6.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015016	7.0	3.0	5.0	6.0	5.0	3.0	6.0	35.0	30.0	27.0	92.0
T015017	7.0	3.0	6.0	6.0	5.0	3.0	5.0	35.0	30.0	26.0	91.0
T015018	6.0	3.0	5.0	5.0	5.0	3.0	6.0	33.0	30.0	26.0	89.0
T015019	6.0	3.0	5.0	5.0	6.0	3.0	5.0	33.0	30.0	27.0	90.0
T015020	6.0	3.0	4.0	5.0	6.0	3.0	5.0	32.0	30.0	26.0	88.0
T015021	6.0	3.0	6.0	4.0	5.0	3.0	4.0	31.0	30.0	26.0	87.0
T015022	6.0	3.0	5.0	5.0	5.0	3.0	4.0	31.0	30.0	26.0	87.0
T015023	7.0	3.0	5.0	4.0	5.0	3.0	4.0	31.0	30.0	26.0	87.0
T015024	7.0	3.0	5.0	6.0	5.0	3.0	4.0	33.0	30.0	25.0	88.0
T015025	7.0	3.0	6.0	6.0	5.0	3.0	5.0	35.0	30.0	26.0	91.0
T015026	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015027	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	25.0	87.0
T015028	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015029	6.0	3.0	6.0	5.0	5.0	3.0	4.0	32.0	30.0	26.0	88.0
T015030	6.0	3.0	5.0	5.0	4.0	3.0	5.0	31.0	30.0	25.0	86.0
T015031	6.0	3.0	5.0	5.0	4.0	3.0	5.0	31.0	30.0	26.0	87.0
T015032	7.0	3.0	6.0	5.0	6.0	3.0	5.0	35.0	30.0	26.0	91.0
T015033	7.0	3.0	5.0	5.0	4.0	3.0	4.0	31.0	30.0	26.0	87.0
T015034	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	27.0	89.0
T015035	7.0	3.0	5.0	6.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T015036	6.0	3.0	6.0	6.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T015037	7.0	3.0	5.0	5.0	6.0	3.0	5.0	34.0	30.0	25.0	89.0
T015038	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015039	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015040	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015041	6.0	3.0	4.0	5.0	5.0	3.0	5.0	31.0	30.0	26.0	87.0
T015042	7.0	3.0	5.0	5.0	5.0	3.0	6.0	34.0	30.0	25.0	89.0
T015043	6.0	3.0	4.0	4.0	6.0	3.0	5.0	31.0	30.0	26.0	87.0
T015044	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015045	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015046	7.0	3.0	5.0	6.0	6.0	3.0	6.0	36.0	30.0	26.0	92.0
T015047	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015048	7.0	3.0	6.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T015049	6.0	3.0	6.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015050	7.0	3.0	6.0	6.0	6.0	3.0	6.0	37.0	30.0	26.0	93.0
T015051	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	25.0	89.0
T015052	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015053	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015054	6.0	3.0	5.0	5.0	6.0	3.0	5.0	33.0	30.0	26.0	89.0
T015055	6.0	4.0	5.0	4.0	5.0	3.0	6.0	33.0	30.0	26.0	89.0
T015056	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0

寝室号	检查项目							寝室卫生成绩40分	寝室安全成绩30分	寝室文化成绩30分	总分100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T015057	7.0	3.0	5.0	5.0	5.0	3.0	6.0	34.0	30.0	26.0	90.0
T015058	6.0	3.0	5.0	6.0	4.0	3.0	5.0	32.0	30.0	25.0	87.0
T015059	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015060	6.0	3.0	4.0	5.0	5.0	3.0	5.0	31.0	30.0	27.0	88.0
T015061	6.0	3.0	4.0	5.0	6.0	3.0	5.0	32.0	30.0	26.0	88.0
T015062	6.0	3.0	4.0	6.0	5.0	3.0	4.0	31.0	30.0	26.0	87.0
T015063	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015064	7.0	3.0	5.0	6.0	6.0	3.0	5.0	35.0	30.0	27.0	92.0
T015065	6.0	4.0	5.0	5.0	5.0	3.0	4.0	32.0	30.0	26.0	88.0
T015066	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015067	7.0	3.0	6.0	6.0	6.0	3.0	4.0	35.0	30.0	27.0	92.0
T015068	6.0	3.0	5.0	5.0	5.0	3.0	4.0	31.0	30.0	26.0	87.0
T015069	6.0	3.0	6.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015070	6.0	4.0	4.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015071	6.0	3.0	5.0	5.0	6.0	3.0	4.0	32.0	30.0	25.0	87.0
T015072	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015073	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015074	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015075	6.0	3.0	5.0	5.0	5.0	3.0	4.0	31.0	30.0	25.0	86.0
T015076	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015077	6.0	3.0	5.0	5.0	6.0	3.0	5.0	33.0	30.0	25.0	88.0
T015078	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015079	7.0	4.0	6.0	6.0	6.0	3.0	4.0	36.0	30.0	26.0	92.0
T015080	7.0	3.0	6.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T015081	6.0	3.0	5.0	5.0	5.0	3.0	4.0	31.0	30.0	26.0	87.0
T015082	6.0	3.0	5.0	5.0	5.0	3.0	4.0	31.0	30.0	25.0	86.0
T015083	6.0	2.0	5.0	6.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015084	7.0	3.0	5.0	5.0	6.0	3.0	5.0	34.0	30.0	26.0	90.0
T015085	6.0	3.0	6.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T015086	6.0	3.0	5.0	5.0	6.0	3.0	6.0	34.0	30.0	26.0	90.0
T015087	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T015088	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015089	7.0	3.0	6.0	6.0	5.0	3.0	6.0	36.0	30.0	27.0	93.0
T015090	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015091	6.0	3.0	5.0	6.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T015092	6.0	4.0	5.0	6.0	5.0	3.0	4.0	33.0	30.0	26.0	89.0
T015093	7.0	3.0	4.0	5.0	4.0	3.0	5.0	31.0	30.0	26.0	87.0
T015094	6.0	3.0	5.0	6.0	5.0	3.0	4.0	32.0	30.0	27.0	89.0
T015095	6.0	3.0	5.0	5.0	4.0	3.0	5.0	31.0	30.0	26.0	87.0
T015096	6.0	3.0	4.0	5.0	5.0	3.0	4.0	30.0	30.0	26.0	86.0
T015097	6.0	4.0	5.0	6.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T015098	7.0	3.0	5.0	5.0	6.0	3.0	4.0	33.0	30.0	27.0	90.0
T015099	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015100	6.0	3.0	6.0	4.0	6.0	3.0	4.0	32.0	30.0	26.0	88.0
T015101	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	27.0	90.0
T015102	6.0	3.0	5.0	5.0	6.0	3.0	4.0	32.0	30.0	26.0	88.0
T015103	6.0	3.0	4.0	5.0	5.0	3.0	5.0	31.0	30.0	26.0	87.0
T015104	7.0	3.0	5.0	6.0	4.0	3.0	4.0	32.0	30.0	27.0	89.0
T015105	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T015106	6.0	4.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T015107	6.0	3.0	6.0	6.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T015108	6.0	3.0	5.0	5.0	4.0	3.0	5.0	31.0	30.0	25.0	86.0
T016082	7.0	3.0	5.0	5.0	5.0	3.0	4.0	32.0	30.0	26.0	88.0
T016083	6.0	3.0	5.0	4.0	6.0	3.0	5.0	32.0	30.0	26.0	88.0
T016084	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	25.0	87.0
T016085	6.0	3.0	5.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0

西南交通大学电气工程学院卫生检查成绩（天佑斋3号-2015级男生）

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T034089	8.0	4.0	5.5	6.0	3.0	3.5	5.5	35.5	30.0	26.0	91.5
T034090	7.5	4.0	5.0	6.0	4.0	4.0	6.0	36.5	30.0	26.0	92.5
T034091	7.0	4.0	5.0	5.5	3.0	4.0	5.0	33.5	30.0	26.0	89.5
T034092	7.0	4.0	5.5	4.0	3.0	3.0	4.5	31.0	30.0	26.0	87.0
T034093	7.0	4.0	3.0	5.5	5.0	2.0	5.5	32.0	30.0	26.0	88.0
T034094	7.0	4.0	5.0	5.5	4.0	0.0	5.5	31.0	30.0	26.0	87.0
T034095	7.0	4.0	6.0	5.5	3.0	2.0	5.5	33.0	30.0	26.0	89.0
T034096	8.0	4.0	5.0	5.5	3.0	3.0	5.0	33.5	30.0	26.0	89.5
T034097	7.5	4.0	5.0	4.0	3.0	3.0	5.0	31.5	30.0	26.0	87.5
T034098	7.5	4.0	5.0	5.0	6.0	4.0	5.0	36.5	30.0	26.0	92.5
T034099	7.0	4.0	4.0	5.5	4.0	3.0	5.0	32.5	30.0	26.0	88.5
T034100	7.0	4.0	5.0	4.0	3.0	1.0	4.5	28.5	30.0	26.0	84.5
T035035	7.5	4.0	5.5	5.5	3.0	3.0	5.5	34.0	30.0	26.0	90.0
T035036	7.5	4.0	5.5	6.0	3.0	1.0	6.0	33.0	30.0	26.0	89.0
T035037	7.5	4.0	5.5	6.0	3.0	3.0	5.5	34.5	30.0	27.0	91.5
T035038	8.0	4.0	6.0	6.0	4.0	4.0	5.0	37.0	30.0	27.0	94.0
T035039	8.0	4.0	5.5	5.5	3.0	4.0	5.5	35.5	30.0	27.0	92.5
T035040	7.5	4.0	4.5	5.0	3.0	3.0	4.0	31.0	30.0	26.0	87.0
T035041	7.5	4.0	5.5	5.0	3.0	4.0	5.0	34.0	30.0	26.0	90.0
T035042	8.0	4.0	6.0	5.0	4.5	4.0	5.0	36.5	30.0	26.0	92.5
T035043	8.0	4.0	5.5	6.0	6.0	4.0	5.0	38.5	30.0	26.0	94.5
T035044	8.0	4.0	6.0	6.0	5.0	3.0	6.0	38.0	30.0	26.0	94.0
T035045	8.0	4.0	5.5	5.0	3.0	3.0	5.0	33.5	30.0	26.0	89.5
T035046	7.5	4.0	6.0	5.0	3.0	3.5	5.0	34.0	30.0	26.0	90.0
T035047	8.0	4.0	6.0	6.0	5.0	3.5	6.0	38.5	30.0	27.0	95.5
T035048	8.0	4.0	5.5	5.0	5.0	4.0	5.0	36.5	30.0	26.0	92.5
T035049	7.5	4.0	4.0	5.5	4.0	2.0	5.5	32.5	30.0	26.0	88.5
T035050	8.0	4.0	4.5	6.0	4.0	4.0	6.0	36.5	30.0	26.0	92.5
T035051	8.0	4.0	6.0	5.5	5.0	4.0	5.5	38.0	30.0	27.0	95.0
T035052	7.5	4.0	5.5	5.0	5.0	4.0	5.0	36.0	30.0	26.0	92.0
T035053	8.0	4.0	4.0	5.5	3.0	3.0	5.5	33.0	30.0	27.0	90.0
T035054	7.5	4.0	3.5	5.0	4.0	1.0	5.0	30.0	30.0	26.0	86.0
T035055	7.5	4.0	4.5	5.5	4.0	2.0	5.5	33.0	30.0	26.0	89.0
T035056	6.5	4.0	4.0	5.0	3.0	2.5	5.0	30.0	30.0	26.0	86.0
T035057	8.0	4.0	4.0	5.0	3.0	2.0	5.0	31.0	30.0	26.0	87.0
T035058	7.5	4.0	3.5	5.0	4.0	2.0	5.0	31.0	30.0	26.0	87.0
T035059	8.0	4.0	5.5	6.0	4.0	4.0	6.0	37.5	30.0	26.0	93.5
T035060	8.0	4.0	5.0	5.5	4.0	3.0	4.5	34.0	30.0	26.0	90.0
T035061	8.0	4.0	5.0	5.0	4.0	4.0	6.0	36.0	30.0	26.0	92.0
T035062	8.0	4.0	5.5	5.5	3.0	3.0	6.0	35.0	30.0	27.0	92.0
T035063	8.0	4.0	6.0	6.0	3.0	3.0	5.0	35.0	30.0	26.0	91.0
T035064	8.0	4.0	4.5	6.0	3.0	1.0	6.0	32.5	30.0	26.0	88.5
T035065	7.5	4.0	4.5	6.0	4.0	1.0	6.0	33.0	30.0	26.0	89.0
T035066	7.5	4.0	4.0	4.0	3.0	3.5	4.0	30.0	30.0	26.0	86.0
T035067	7.0	4.0	4.0	5.0	3.5	3.0	5.0	31.5	30.0	27.0	88.5
T035068	7.0	4.0	5.0	5.0	3.5	3.0	5.0	32.5	30.0	26.0	88.5
T035069	7.0	4.0	4.0	5.0	3.5	3.0	5.0	31.5	30.0	26.0	87.5
T035070	7.0	4.0	4.0	5.0	3.5	3.0	5.0	31.5	30.0	27.0	88.5
T035071	7.0	4.0	4.0	5.0	2.5	3.0	5.0	30.5	30.0	26.0	86.5
T035072	8.0	4.0	5.0	5.0	5.5	3.0	5.0	35.5	30.0	27.0	92.5
T035073	7.5	4.0	5.0	5.0	4.5	3.0	5.0	34.0	30.0	27.0	91.0
T035074	7.5	4.0	6.0	5.0	3.5	3.0	5.0	34.0	30.0	26.0	90.0
T035075	7.0	4.0	6.0	5.0	3.5	4.0	5.0	34.5	30.0	27.0	91.5
T035076	7.0	4.0	5.0	5.0	4.5	3.0	5.0	33.5	30.0	27.0	90.5
T035077	7.5	4.0	5.0	5.0	4.5	3.0	5.0	34.0	30.0	26.0	90.0

寝室号	检查项目							寝室卫生成绩40分	寝室安全成绩30分	寝室文化成绩30分	总分100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T035078	8.0	4.0	5.0	5.0	4.5	3.0	5.0	34.5	30.0	27.0	91.5
T035079	7.0	4.0	5.0	5.0	3.5	3.0	5.0	32.5	30.0	26.0	88.5
T035080	7.0	4.0	6.0	5.0	4.5	3.0	5.0	34.5	30.0	27.0	91.5
T035081	7.0	4.0	6.0	5.0	4.5	3.0	5.0	34.5	30.0	26.0	90.5
T035082	7.0	4.0	6.0	5.0	3.5	3.0	5.0	33.5	30.0	27.0	90.5
T035083	7.0	4.0	5.0	5.0	4.5	3.0	5.0	33.5	30.0	27.0	90.5
T035084	7.0	4.0	5.0	5.0	4.5	4.0	6.0	35.5	30.0	27.0	92.5
T035085	7.0	4.0	6.0	5.0	4.5	3.0	5.0	34.5	30.0	27.0	91.5
T035086	7.0	4.0	6.0	5.0	3.5	3.0	5.0	33.5	30.0	26.0	89.5
T035087	7.0	4.0	5.0	5.0	4.5	3.0	5.0	33.5	30.0	27.0	90.5
T035088	7.0	4.0	5.0	6.0	3.5	4.0	5.0	34.5	30.0	27.0	91.5
T035089	8.0	4.0	5.0	5.0	3.5	3.0	5.0	33.5	30.0	26.0	89.5
T035090	7.0	4.0	6.0	5.0	4.5	3.0	5.0	34.5	30.0	27.0	91.5
T035091	7.0	4.0	5.0	5.0	3.5	3.0	5.0	32.5	30.0	27.0	89.5
T035092	7.0	4.0	6.0	5.0	4.5	3.0	5.0	34.5	30.0	26.0	90.5
T035093	7.0	4.0	6.0	5.0	3.5	3.0	5.0	33.5	30.0	27.0	90.5
T035094	7.0	4.0	5.0	5.0	3.5	4.0	5.0	33.5	30.0	27.0	90.5
T035095	7.0	4.0	4.0	5.0	3.5	4.0	5.0	32.5	30.0	26.0	88.5
T035096	7.0	4.0	5.0	5.0	3.5	4.0	5.0	33.5	30.0	26.0	89.5
T035097	7.0	4.0	4.0	5.0	4.5	4.0	5.0	33.5	30.0	27.0	90.5
T035098	7.0	4.0	5.0	5.0	4.5	4.0	5.0	34.5	30.0	27.0	91.5
T035099	7.0	4.0	5.0	5.0	4.5	4.0	5.0	34.5	30.0	27.0	91.5
T035100	7.0	4.0	4.0	5.0	3.5	4.0	5.0	32.5	30.0	26.0	88.5
T035101	7.0	4.0	6.0	5.0	3.5	3.0	5.0	33.5	30.0	27.0	90.5
T035102	7.0	4.0	6.0	6.0	4.5	4.0	5.0	36.5	30.0	27.0	93.5
T035103	7.0	4.0	5.0	5.0	3.5	3.0	5.0	32.5	30.0	26.0	88.5
T035104	7.0	4.0	5.0	5.0	4.5	4.0	5.0	34.5	30.0	27.0	91.5
T035105	7.0	4.0	6.0	6.0	3.5	3.0	5.0	34.5	30.0	27.0	91.5
T035106	7.5	4.0	5.0	5.0	4.5	4.0	5.0	35.0	30.0	27.0	92.0
T035107	7.0	4.0	5.0	5.0	3.5	3.0	5.0	32.5	30.0	26.0	88.5
T035108	8.0	4.0	5.0	5.0	4.5	4.0	5.0	35.5	30.0	27.0	92.5